



www.doggysolutions.com | 303.777.7195

Dear Dog Owner/Lover:

Congratulations on the purchase of your Pet Patio Potty™ (patent pending) made by Doggy Solutions™. We sincerely hope that this product gives both you and your pet the added freedom helpful in today's busy life. Never hesitate to contact us with any questions regarding the use and maintenance of this device or about training your puppy or dog to use its' Pet Patio Potty™.

Included with your shipment are the following items:

- **Pet Patio Potty™ Polyethylene Box Frame Modules**
- **Polyethylene Side Panels** (**Back Panel Brace** is also included for Large and Extra Large Size Models)
- **Screws and caulk** required for assembly
- Appropriate number of **Polyethylene Trays fitted with Perforated Polyethylene Barrier**
- **Tray Handles and Handle Screws**
- **Synthetic Grass:** A piece of Synthetic K9 Grass is included for insertion in each tray of your potty. Please consult the Maintenance Instructions for cleaning instructions for the sod. If at any time you wish to purchase replacement pieces of this synthetic grass, please contact Doggy Solutions™.
- **Out! PetCare Training Aid for Puppies:** This product can help train your pet to urinate in the potty. You simply spray a small amount of the product on the stones in the trays. Reapply as necessary until your dog has been trained to use the potty.
- **Litter Scoop** for removing soiled litter.
- **Assembly and Set-Up Instructions** with photos
- **"How the Pet Patio Potty™ Works" photo tutorial**
- **Maintenance Instructions**
- **Training Instructions**

We sincerely appreciate your business and hope you will share your Pet Patio Potty™ experience with us via stories, feedback, questions, comments and photos.

Also, you can "like" us and share photos and experiences on our Facebook page @ <http://www.facebook.com/doggysolutions>.

Doggy Solutions
info@doggysolutions.com



Assembly and Set-Up Instructions:
Medium Modular Indoor Male Model (Polyethylene)

Assembly

All screws and caulk required to assemble your Modular Indoor Male Pet Patio Potty™ are provided. Complete the assembly of the potty in close proximity to where you intend to place the unit so that you don't have to move the potty a significant distance after it is assembled.

1. Place the 2 modules of the box frame (labeled “Front” and “Back”) facing.



2. Slide the two modules together so that there is no visible space between the modules. Using a Phillips head screw driver, attach the center brace of the Back Module to the center brace of the Front Module by inserting the 4 “Center Brace Screws” into the pre-drilled screw holes.



3. Using one of the “Module Attaching Screws”, attach the right side of the Back Module to the right side of the Front Module. This screw is inserted at an angle into the pre-drilled hole in the Back Module.



4. In a similar fashion, attach the left side of the Back Module to the left side of the Front Module.



5. Apply caulk from the tube provided to the seam between the Front and Back modules to prevent any urine from seeping through this seam. Allow Caulk to dry completely before proceeding with Set-Up below.
6. During the assembly of the polyethylene side panels described below, make sure that each panel is positioned in such a way so that the panel label faces the inside of the box. When each panel is positioned on the box frame the inside piece of polyethylene slides on the inside of the box and the outside piece of polyethylene slides on the outside of the box.
7. Position the panel labeled “Left Side” on the left side of the box frame.



8. While holding this panel in place, slide the “Back Side” panel onto the back side of the box frame. Take one of the “Side Panel Screws” provided and screw the back pole of the left side panel to the left pole of the back panel using the pre-drilled screw hole.



- Slide the “Right Side” panel onto the right side of the box frame. Use the second “Side Panel Screw” to screw the back pole of the right panel to the right pole of the back panel using the pre-drilled screw hole (Photo 7). All sides panels are now in place.



- Using the “Base Screws” provided, attach the bottom of each of the side panels to the box frame using the pre-drilled holes. There are two screws for each panel.



Set Up

The Indoor Male Model of the Pet Patio Potty™ is designed for **indoor or protected outdoor use** because it does not have a canvas cover. If you plan to use your potty on a covered balcony or porch, please be sure to place it in a location that will not be exposed to **ANY** environmental moisture. Indoors, it is suggested that the potty be placed on a hard surface (that is, on a floor rather than on carpeting). Polyethylene “feet” have been attached to the bottom of the potty frame to assure that the bottom of the potty does not rest on a moist surface and to facilitate cleaning around the potty.

- Purchase a litter product of your choice. A clumping style kitty litter is recommended because it makes clean up easier. Also, a litter that has odor control properties can be very beneficial, particularly for those potties set up indoors. We recommend either Tidy Cats Scoop for Multiple Cats with for antimicrobial odor control or Dr Elsey’s Precious Cat Ultra. With the trays removed from the frame, distribute a generous layer of litter over the entire bottom surface of the box.



2. Use the “Handle Screws” to attach two handles to each of the trays. The trays are pre-drilled to facilitate handle attachment. With the handles facing upward, insert the trays in the box frame.



3. **If you have decided to use gravel as the substrate in the trays:** Obtain gravel from your local garden supply center or home supply store such as Home Depot. For small dogs, it is typically best to use pea gravel that is $\frac{1}{8}$ " in diameter and for larger dogs, $\frac{3}{4}$ " gravel is probably most appropriate. This gravel may also be called river rock. Do not use any decorative stone that has sharp edges. Each standard size tray (this is the tray size used in the medium size model when four trays are provided) requires approximately 0.16 cubic feet of pea gravel and each double-sized tray requires about 0.32 cubic feet of gravel. A common size bag of gravel that is available at most garden centers contains 0.5 cubic feet of gravel. This is enough gravel to fill three standard trays or one and one-half double-sized trays. Evenly distribute the pea gravel you have purchased over the bottom polyethylene barrier in each tray to a depth of about $\frac{3}{4}$ ". Spray the gravel with a small amount of Training Spray provided. Reapply as necessary.



4. **If you have purchased synthetic K9 Grass to be used as the substrate in the trays:** Insert one piece of synthetic grass into each tray of the Pet Patio Potty™. Spray each piece of grass with a small amount of the Training Spray provided. Reapply as necessary.

