



[www.doggysolutions.com](http://www.doggysolutions.com) | 303.777.7195

Dear Dog Owner/Lover:

Congratulations on the purchase of your Pet Patio Potty™ made by Doggy Solutions™. We sincerely hope that this product gives both you and your pet the added freedom helpful in today's busy life. Never hesitate to contact us with any questions regarding the use and maintenance of this device or about training your puppy or dog to use its' Pet Patio Potty™.

Included with your shipment are the following items:

- **Pet Patio Potty™ Polyethylene Box Frame.**
- **Plexiglas Side Panels, Front Brace, and Canopy Brace** (the small size unit also includes a **Back Side Brace**).
- **Screws** provided for assembly
- **Polyethylene Tray(s) fitted with Perforated Polyethylene Barrier**
- **Tray Handles and Handle Screws**
- **Sunbrella canvas cover:** This water and fade resistant cover conveniently snaps onto your unit and can be readily removed for laundering.
- **Out! PetCare Training Aid for Puppies:** This product can help train your pet to urinate in the potty. Simply spray a small amount of the training spray on the K9Grass. Reapply as necessary until your dog has been trained to use the potty.
- **Synthetic Grass:** A piece of Synthetic K9Grass is included for insertion in each tray of your potty. Please consult the Maintenance Instructions for the procedure you can follow to clean these sod pieces. This K9Grass is quite durable and should last indefinitely if cleaned properly. However, if at any time you wish to purchase replacement pieces of K9Grass, please contact Doggy Solutions™.
- **Litter Scoop** for removing soiled litter.
- **Assembly and Set-Up Instructions** with photos
- **“How The Pet Patio Potty™ Works”** Photo Tutorial
- **Maintenance Instructions**
- **Training Instructions**

We sincerely appreciate your business and hope you will share your Pet Patio Potty™ experience with us via stories, feedback, questions, comments and photos.

Also, you can “LIKE” us on Facebook @ <http://www.facebook.com/doggysolutions> and you can tell us your stories and share your photos on our WALL!!

Doggy Solutions™  
[info@doggysolutions.com](mailto:info@doggysolutions.com)

Pet Patio Potty™ by Doggy Solutions™

**Assembly and Set-Up Instructions: Small Elevated Canopy Model**



Assembly


1. Place the box frame with the “Front” of the box facing you (Photo 1). All screws necessary to assemble your Small Elevated Canopy Pet Patio Potty™ are provided.



2. During the assembly described below, do not leave any of the individual panels unsupported before the “Back Side Brace” is inserted or the screws are used to secure the panels together. The panels can crack if they are left unsupported. Also, exercise caution in handling the panels since the edges are sharp.
3. Position the panel labeled “Panel 2” on the left half of the back of the box frame so that the shorter piece of Plexiglas slides inside the box and the longer piece of Plexiglas is outside the box. Remember not to leave this panel unsupported before the “Back Side Brace” is inserted as described below.



4. Position the “Back Side Brace” so that the two grooves in the left side of the pole fit snugly into the two pieces of Plexiglas on Panel 2. The top frame of Panel 2 should rest on top of the “Back Side Brace”.



5. Slide “Panel 3” into the grooves on the right side of the “Back Side Brace” with the shorter piece of Plexiglas inside the box and the longer piece of Plexiglas outside the box. Make sure that the assembled back panels are centered in the box frame.



Slide “Panel 1” onto the left side of the box frame. Take two of the “Side Panel Screws” and with a Phillips Head screw driver, screw the back pole of Panel 1 to the left pole of the Panel 2 panel. The Plexiglas and poles are pre-drilled, therefore, use the holes provided when screwing the panels together.



7. Repeat this procedure for the “Panel 4” on the right side of the box frame.



8. With the snap fasteners facing forward, attach the “Front Brace” to the top of the support poles on side panels using the two remaining screws.



9. Using the “Base Screws” provided, attach the bottom of each of the Plexiglas panels to the box frame using the pre-drilled holes. There are two screws for each panel.

10. Place the “Canopy Brace” across the box frame. Using the “Canopy Support Screws” and the pre-drilled screw holes, attach the “Canopy Brace” to the top side of the side panel frames. This angled support helps prevent rain and snow from collecting on the units’ canvas cover.



11. Using the snap fasteners affixed to the Plexiglas panels and the canvas cover, snap the cover in place with the Doggy Solutions logo facing the front of the unit. The canvas canopy will fit snugly over the frame (Photo 12).



12. For those units ordered with a Weather Protection Flap: When a bad storm is expected or when you plan to be out of town for a prolonged period of time, affix the Weather Protection Flap over the open side of the unit. This is simply done by unsnapping the snaps along the front edge of the canopy and snapping the flap in place along the Front Brace and along the front of the box frame. This Photo shows the flap snapped in place before the front



edge of the canopy is pulled down over the top edge of the flap.

This Photo shows the front edge of the canopy pulled down over the top edge of the flap. All fasteners along the side and back edges of the canopy should remain securely snapped when the flap is being used.



Please note: the potty bottom of the wood units can be damaged if the unit is exposed to excessive rain or snow and the litter is allowed to become totally saturated with water. Please take precautions to protect the potty from such conditions and replace the litter as soon as possible if it becomes saturated.

### Set Up

1. Place your Pet Patio Potty™ in as protected an area as possible so as to avoid unnecessary exposure to environmental elements (i.e. rain, snow and wind). Polyethylene “feet” have been attached to the bottom of the potty to assure that the bottom of the box frame is not allowed to sit on a moist surface. The box frame of redwood units can be damaged if it is allowed to rest on a moist surface for any period of time.
2. Purchase a litter product of your choice. A clumping style kitty litter is recommended because it makes clean up easy. Also, a litter that has odor control properties can be very beneficial. We recommend either Tidy Cats Scoop for Multiple Cats Antimicrobial Odor Control Formula or Dr Elsey’s Precious Cat Ultra. With the trays removed from the frame, distribute a generous layer of litter over the entire bottom surface of the box.
3. Attach two handles to each tray by inserting the “Handle Screws” into the pre-drilled screw holes in the trays. With the handles facing upward, insert the tray(s) in the box frame



4. If you have decided to use gravel as the substrate in the trays: Obtain pea gravel (or 1/2" river rock) from your local garden supply center or home supply store such as Home Depot. Each standard size tray (this is the size tray when two trays are provided) requires approximately 0.16 cubic feet of pea gravel and each double-sized tray requires about 0.32 cubic feet of gravel. A common size bag of gravel that is available at most garden centers contains 0.5 cubic feet of gravel. This is enough gravel to fill three standard trays or one and one-half double-sized trays. Evenly distribute the gravel over the polyethylene barrier in each tray to a depth of about 3/4". Spray the gravel with a small amount of the Training Spray provided. Reapply as necessary.



If you have purchased synthetic K9Grass to be used as the substrate in the trays: Insert one piece of grass into each tray of the Pet Patio Potty™. Spray the grass with a small amount of the Potty Training Spray provided. Reapply as necessary.

