



www.doggysolutions.com | 303.777.7195

Dear Dog Owner/Lover:

Congratulations on the purchase of your Pet Patio Potty™ made by Doggy Solutions™. We sincerely hope that this product gives both you and your pet the added freedom helpful in today's busy life. Never hesitate to contact us with any questions regarding the use and maintenance of this device or about training your puppy or dog to use its' Pet Patio Potty™.

Included with your shipment are the following items:

- **Pet Patio Potty™ Polyethylene Box Frame Modules**
- **Screws and Caulk for Assembly**
- **Appropriate number of Polyethylene Trays fitted with Perforated Polyethylene Barrier**
- **Tray Handles and Handle Screws**
- **Sunbrella canvas cover:** This water and fade resistant cover conveniently snaps onto your unit and can be readily removed for laundering.
- **Synthetic Grass:** A piece of Synthetic K9Grass is included for insertion in each tray of your potty. Please consult your Maintenance Instructions for the steps you can follow to clean these grass pieces. This synthetic grass is durable and should last indefinitely if cleaned properly. However, if at any time you wish to purchase replacement pieces of this synthetic grass, please contact Doggy Solutions.
- **Out! PetCare Training Aid for Puppies:** This product can help train your pet to urinate in the potty. You simply spray a small amount of the product on each piece of K9Grass. Reapply as necessary until your dog has been trained to use the potty.
- **Litter Scoop** for removing soiled litter.
- **Assembly and Set-Up Instructions including photos**
- **“How The Pet Patio Potty™ Works” Photo Tutorial**
- **Maintenance Instructions**
- **Training Instructions**

We sincerely appreciate your business and hope you will share your Pet Patio Potty™ experience with us via stories, feedback, questions, comments and photos.

Also, you can “Like” us on Facebook @ <http://www.facebook.com/doggysolutions> and you can tell us your stories and post your photos on our Wall!!

Doggy Solutions
info@doggysolutions.com

Pet Patio Potty™ (patent pending) by Doggy Solutions™

Assembly and Set-Up Instructions: Extra Large Modular
Indoor Male Mode



Assembly

All screws and caulk required to assemble your Modular Indoor Male Pet Patio Potty™ are provided. Complete the assembly of the potty in the area where you intend to place the unit so that you don't have to move the potty after it is assembled.

1. Place the four modules of the box frame (labeled Left Front, Left Center Front, Right Center Front and Right Front) facing you.



2. Slide the Right Center Module toward the Right Module so that there is no visible space between the modules. Using a Phillips head screwdriver, attach the center brace of the Right Module to the center brace of the Right Center Module by inserting four of the "Center Brace Screws" into the pre-drilled screw holes.



3. Then slide the Left Center Module toward the Right Center Module and attach these two modules by inserting four more of the “Center Brace Screws” into the pre-drilled screw holes.



4. Finally, slide the Left Module toward the Left Center Module and attach these two modules by inserting the four remaining “Center Brace Screws” into the pre-drilled screw holes.



5. Using one of the “Module Attaching Screws”, attach the back side of the Right Center Module to the back side of the Right Module. This screw is inserted at an angle into the pre-drilled hole.



6. Then using a second “Module Attaching Screw”, attach the front side of the Right Module to the front side of the Right Center Module.



7. In a similar fashion, use the remaining “Module Attaching Screws” to attach the two center modules and the Left Center and Left modules.



8. This Photo shows the assembled box frame.



9. Apply caulk from the tube provided to the seams between the Left and Left Center Modules, the two center modules and the Right Center and Right Modules to prevent any urine from seeping through these seams. Allow Caulk to dry completely before proceeding with Set-Up below.
10. During the assembly of the polyethylene panels described below, do not leave any of the individual panels unsupported before the panels are screwed together. During the assembly process, make sure that each panel is positioned so that the panel label is facing the inside of the unit. When each panel is positioned on the box frame, the bottom edge of the inside piece of polyethylene slides on the inside of the box and the bottom edge of the outside piece of polyethylene slides on the outside of the box.

11. Position the panel labeled “Panel 1” on the left side of the box frame (Photo 12).



12. While holding this panel in place, slide “Panel 2” onto the left half of the back side of the box frame.



13. Take two of the “Side Panel Screws” provided and screw the back pole of the “Panel 1” to the left pole of the “Panel 2” using the pre-drilled screw holes.



14. Position the “Back Side Brace” so that the two grooves on the left side of the brace fit snugly into the two pieces of polyethylene on “Panel 2”. The top frame of “Panel 2” should rest on top of the brace.



15. Slide “Panel 3” into the grooves on the right side of the grooved brace.



16. Slide “Panel 4” onto the right side of the box frame.



17. Use the remaining two “Side Panel Screws” to screw the back pole of “Panel 4” to the right pole of “Panel 3” using the pre-drilled screw holes.



18. Using the “Base Screws” provided, attach the bottom of each of the polyethylene panels to the box frame using the pre-drilled screw holes. There are two screws for each panel.



Set Up

1. The Male Model of the Pet Patio Potty™ is designed only for indoor or protected outdoor use because it does not have a canvas cover. If you plan to use your potty outdoors, place it in a protected area that is exposed to NO rain or snow. Indoors, it is suggested that the potty be placed on a hard surface (that is, on a floor rather than on carpeting). Polyethylene “feet” have been attached to the bottom of the potty to elevate it slightly from the surface on which it is placed. Elevating the potty slightly facilitates cleaning the unit.
2. Purchase a litter product of your choice. A clumping style kitty litter is recommended because it

makes clean up easy. Also, a litter having odor control properties can be very beneficial, particularly when the potty is set up indoors. We recommend either any Tidy Cats Scoop for multiple cats Antimicrobial Odor Control Formula or Dr. Elsey's Precious Ultra Cat. With the trays removed from the frame, distribute a generous layer of litter around the polyethylene blocks and over the entire bottom surface of each module (No Photo).

3. Use the "Handle Screws" provided to attach two handles to each of the trays using the pre-drilled screw holes. When K9Grass is used as the substrate, there are typically three double-sized trays. Only two of the three trays have handles. These trays should be positioned on either end of the box frame and the tray with no handles should be placed in the center. When six trays are included (primarily when gravel is used), only four of the six trays have handles. In this case, the two trays having no handles should be placed in the center positions and the trays with handles should be placed in the corner positions. With the handles facing upward, insert the trays in the box frame. (Photo 21). Note: The four corner trays should be oriented in the box frame so that the handles are positioned along the outside edge of the box rather than in the center of the box.
4. If you have decided to use gravel as the substrate in the trays: Obtain gravel from your local garden supply center or home supply store such as Home Depot. For small dogs, it is typically best to use pea gravel that is roughly 3/8" in diameter and for larger dogs, 3/4" gravel is probably most appropriate. This gravel may also be called river rock. Do not use any decorative stone that has sharp edges. Each standard size tray (this is the tray size used in the extra-large size model when eight trays are provided) requires approximately 0.16 cubic feet of pea gravel and each double-sized tray requires about 0.32 cubic feet of gravel. A common size bag of gravel that is available in most garden centers contains 0.5 cubic feet of gravel. Three such bags should be adequate for your extra-large unit with some to spare.
5. Evenly distribute the gravel over the perforated polyethylene barrier in each tray to a depth of about 3/4". (No Photo). Spray the gravel with a small amount of the Training Spray provided. Reapply as necessary.
6. If you have purchased synthetic K9 Grass to be used as the substrate in the trays: Insert one piece of synthetic grass into each tray of the Pet Patio Potty™. Spray the grass with a small amount of the Potty Training Spray. Reapply as necessary.

